



Date: Project:

Notes:

RGB LED WALL WASHER

Suitable for architectural and landscape applications, the Wall Washer casts color changing RGB with its high light output.

Features

- · For indoor and outdoor use
- Super bright waterproof RGB LED Wall Washer
- Includes DMX outdoor rated cable input and output + 120V wire lead + waterproof connectors

Operation

Can be operated in one of three ways:

- 1) Onboard Control (standalone)
- 2) DMX Mode
- 3) **Daisy Chain** (using master and slave setup, max. 10 units)

Applications

Architectural | Stage | Landscape | Accent







Length	22" (580mm)	44" (1120mm)		
Voltage	100-240V AC			
Wattage	20W	40W		
Color Temp	RGB*			
# of LEDs	18 LEDs	36 LEDs		
Lumens	850	1700		
Beam Degree	45°			
Housing	Aluminum Alloy			
Working Temp	-30°C~+50°C			
Rotation Angle	180°			
Plug/Connector	120V Lead: 56" (142cm) Output Connector: 16" (41cm)			
Lifespan	+60,000 hours			
Warranty	3-year			


^{*}Custom color temperature available in Cool White

Housing



Aluminum

Dimensions




Ordering Codes

	Product		Color Temp		Length	
LS-	WW	-	RGB	-		
		R	GB: Multi-color		22: 22" (580mm)	
					44: 44" (1120mm)	

Accessories

Image	Code	Product	Description
	LS-NA-Plug	Plug	North American 3-prong plug
	LS-5M-DMX-EXT	5M Extention Cable	5M (16.4') DMX extension cable, outdoor rated connections
	LS-30M-DMX-EXT	30M (100') Extension Cable	25M (82') DMX extension cable, outdoor rated connections
	LS-DMX-WC-RGBW	DMX WiFi Controller	With pre-programmed modes and built-in WiFi router, the RGBW DMX controller provides full control and customization of your lighting experience. <i>Review spec sheet for more information.</i>
	LS-RGB-DMX-W2	DMX Wireless Controller	Transmits and receives DMX wireless signal, for DMX solid state lighting. 9-12VDC, 120V Power Supply included. <i>Review spec sheet for more information</i> .

Illuminance at a Distance



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at a different distance.